



Brought To You By



THE HERBALIST
Theherbalistmj.com



Cannabis Sensitization 6 Day Protocol — Inhalation

Lower your tolerance to cannabis and find
your optimal therapeutic dosage.

Users typically see the following results after completing the Cannabis Sensitization Protocol:

- **Save up to 60% on monthly cannabis costs.**
Users reduce the amount of cannabis they use by up to 60% per month. A patient spending \$200 per month on cannabis can save \$1,400 per year or more. A patient spending \$400 per month saves \$2,400 per year or more.
- **Increase in desired medical benefits.**
For most patients, using less cannabis can provide superior medical benefits. The Sensitization Protocol will help you find your optimal dosage, where you will achieve the maximum therapeutic benefits of medical cannabis. Using more than the optimal dosage will often decrease its effectiveness and increase unwanted side effects. While exceptions to this rule exist, such as ultrahigh-dosage treatments for cancer and other chronic diseases, the vast majority of patients find that less cannabis equals more results.
- **Decreased negative side effects.**
Patients report by using less cannabis they are more clearheaded, less irritable, have more energy, with little to no paranoia or anxiety - all symptoms caused by overuse of cannabis.

www.Healer.com

Why this program works:

Most people only know how to increase the benefits of cannabis by using more. Unfortunately, this is not a sustainable solution because with increased dosage, tolerance to cannabis quickly develops. Many of the benefits of cannabis diminish with increased dosage, and abruptly high doses can actually worsen the symptoms one might be trying to alleviate.

On the other hand, most cannabis users have already experienced the opposite of tolerance-building, known as sensitization. More than half of the cannabis users I've interviewed report they experienced minimal or no response to cannabis the first time they tried it. Most people feel stronger effects on the second or third trial, indicating that their system has increased its sensitivity following the initial exposure.

Animal research gives us clues to understand this sensitization effect: THC can trigger production of more cannabinoid receptors¹, increase the sensitivity of existing cannabinoid receptors², and increase the production of the body's own endocannabinoids³, at certain doses. On the other hand, high doses of THC have been shown to have the opposite effect, decreasing the number of available cannabinoid receptors.⁴

More recently, brain imaging research has proven that people who develop tolerance to cannabis can rapidly improve their loss of cannabinoid receptor availability under the right circumstances.⁵

By following this protocol you'll learn how to take control of your endocannabinoid system and increase the benefits of cannabis by reversing your tolerance and increasing your sensitivity to cannabis. Using the correct dose is the single most important factor in having a successful and therapeutic relationship with cannabis. We all have a unique internal chemistry, and the endocannabinoid system is very complex, so different dosages will be best for different people. The Cannabis Sensitization Protocol will help you to find your optimal therapeutic dosage. People who use their optimal dose of cannabis can avoid building tolerance and retain the therapeutic effects for years or decades.

By following this protocol, you can improve the tone of your endocannabinoid system, an integral component of our capacity to adapt to stress, heal from illness, and restore balance at a cellular level. Not only will you achieve better results with cannabis, you will also enhance your capacity for self-healing.

In addition to optimizing your sensitivity to cannabis, this program will empower you to develop simple and incredibly effective ways to improve your health and augment the power of cannabis. The Inner Inventory is a selfawareness tool that can be used to better integrate one's mind and body, assess the benefits of other therapeutic activities, and take control of the neuroplastic forces unlocked by cannabis. We include powerful and enjoyable exercises and specific foods, such as omega3 fatty acids and dark chocolate which have also been shown to enhance the endocannabinoid system.^{6,7}

¹Cichewicz, Diana L., Victoria L. Haller, and Sandra P. Welch. "Changes in opioid and cannabinoid receptor protein following shortterm combination treatment with δ 9tetrahydrocannabinol and morphine." *Journal of Pharmacology and Experimental Therapeutics* 297.1 (2001): 121127.

²Oviedo, Angelica, John Glowa, and Miles Herkenham. "Chronic cannabinoid administration alters cannabinoid receptor binding in rat brain: a quantitative autoradiographic study." *Brain research* 616.1 (1993): 293302.

³Burstein, Sumner H., and Sheila A. Hunter. "Stimulation of anandamide biosynthesis in N18TG2 neuroblastoma cells by δ 9tetrahydrocannabinol." *Biochemical pharmacology* 49.6 (1995): 855858.

⁴Hsieh, C., et al. "Internalization and recycling of the CB1 cannabinoid receptor." *Journal of neurochemistry* 73.2 (1999): 493501.

⁵D'Souza, Deepak Cyril, et al. "Rapid changes in cannabinoid 1 receptor availability in cannabis-dependent male subjects after abstinence from cannabis." *Biological psychiatry: cognitive neuroscience and neuroimaging* 1.1 (2016): 60-67.

⁶McPartland JM, Guy GW, Di Marzo V. Care and Feeding of the Endocannabinoid System: A Systematic Review of Potential Clinical Interventions that Upregulate the Endocannabinoid System. Romanovsky AA, ed. PLoS ONE. 2014;9(3):e89566. doi:10.1371/journal.pone.0089566.

⁷Di Tomaso, Emmanuelle, Massimiliano Beltramo, and Daniele Piomelli. "Brain cannabinoids in chocolate." *Nature* 382.6593 (1996): 677-678.

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.

IMPORTANT NOTE

Your goal is to use the minimal amount of cannabis to achieve the maximum benefits. If at any time you notice that you are developing tolerance to cannabis, meaning you need a higher dosage to get the same effect, then you have likely exceeded your personal therapeutic dosage. Simply return to using slightly less than the therapeutic dosage you discovered on day six, or repeat the Cannabis Sensitization Protocol.

Many longtime cannabis users have been amazed by the effects of the Cannabis Sensitization Protocol. I often hear patients exclaiming, "I did what you told me and now 2 puffs does more for me than 2 joints used to do!" This same plan can be used for patients who use tinctures or edibles (see our Cannabis Sensitization Protocol for tinctures), but they must use careful dosing and must wait longer between doses. I advise patients to avoid smoking joints for medical purposes because it predisposes them to take more puffs in rapid succession, and I've observed that joint-smokers are much more likely to build tolerance than people who use a pipe or vaporizer. Still, joints can be used with this protocol as long as you adhere closely to the directions, put the joint out after each puff, and resist the urge to take one more toke before it goes out!

Be sure to drink plenty of water and stay well hydrated during this program. I also recommend that you review my "Strategies to Use Cannabis Without Getting High" if that is one of your intentions. And for those who enjoy the psychoactive effects of cannabis, I think you'll love using the wellness practices included in this program while in that state of consciousness.

Wishing you Health and Happiness,
- Dr. Dustin Sulak

Research supporting program:

- THC increases the production of endocannabinoids in brain cells.
 - Burstein, Sumner H., and Sheila A. Hunter. "Stimulation of anandamide biosynthesis in N-18TG2 neuroblastoma cells by δ 9-tetrahydrocannabinol." *Biochemical pharmacology* 49.6 (1995): 855-858.
- Mice treated with THC showed a significant upregulation of the CB1 receptor in the spinal cord.
 - Cichewicz, Diana L., Victoria L. Haller, and Sandra P. Welch. "Changes in opioid and cannabinoid receptor protein following short-term combination treatment with Δ 9-tetrahydrocannabinol and morphine." *Journal of Pharmacology and Experimental Therapeutics* 297.1 (2001): 121-127.
- Acute dose of THC increase cannabinoid receptor affinity in rats.
 - Oviedo, Angelica, John Glowa, and Miles Herkenham. "Chronic cannabinoid administration alters cannabinoid receptor binding in rat brain: a quantitative autoradiographic study." *Brain research* 616.1 (1993): 293-302.
- Low, sub-therapeutic dose of THC enhance the pain relief imparted by endocannabinoids in rats.
 - Suplita II, Richard L., et al. "Cross-sensitization and cross-tolerance between exogenous cannabinoid antinociception and endocannabinoid-mediated stress-induced analgesia." *Neuropharmacology* 54.1 (2008): 161-171.
- Foods and certain activities can naturally enhance the endocannabinoid system's function.
 - McPartland JM, Guy GW, Di Marzo V. Care and Feeding of the Endocannabinoid System: A Systematic Review of Potential Clinical Interventions that Upregulate the Endocannabinoid System. Romanovsky AA, ed. *PLoS ONE*. 2014;9(3):e89566. doi:10.1371/journal.pone.0089566.
 - Russo EB. Taming THC: potential cannabis synergy and phytocannabinoid-terpenoid entourage effects. *British Journal of Pharmacology*. 2011;163(7):1344-1364. doi:10.1111/j.1476-5381.2011.01238.x.
 - Di Tomaso, Emmanuelle, Massimiliano Beltramo, and Daniele Piomelli. "Brain cannabinoids in chocolate." *Nature* 382.6593 (1996): 677-678.
- Cannabis dependence is associated with CB1R downregulation, which begins to reverse rapidly on termination of cannabis use and may continue to increase over time.
 - D'Souza, Deepak Cyril, et al. "Rapid changes in cannabinoid 1 receptor availability in cannabis-dependent male subjects after abstinence from cannabis." *Biological psychiatry: cognitive neuroscience and neuroimaging* 1.1 (2016): 60-67.

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.



© Healer LLC 2021

DAY 1 - Inhalation

Start a 48-hour (2 day) Cannabis Fast.

Today you will start a 48 hour period with no cannabis consumption.

Your goal is to increase your sensitivity to cannabis. To measure the results, we need to know how much cannabis you are currently using.

- Note this on the worksheet.

Your cannabis fast needs to be intentional. Think of it as a positive event and pick a comfortable place and time to begin your 48 hour fast.

- Before inhaling your cannabis, look at it, hold it, smell it, and feel appreciation for this incredible medicine.
- Take your normal number of inhalations, savor the experience.
- Put your cannabis smoking utensil or vaporizer away.
- Enter your fasting start time, end date, and end time in the Day 1 box.

To make the fast easier you should drink plenty of water and stay hydrated. Be sure to take advantage of the Healer videos of suggested foods and exercises that will help you feel your best during the fast.

- **48 Hours from now you will be ready to resume healthier relationship with cannabis.**

DAY 1

How many inhalations are you currently using per session? _____

How many inhalations are you currently using per day? _____

How much cannabis are you currently using per week? _____

Fasting Start Time : _____

+2 Days = Fasting End Date: _____

Fasting End Time: _____

Remember to try the cannabinoid enhancing food, exercises, and drink plenty of water.

DAY 2 - Inhalation

Full Day of Cannabis Fasting.

Congratulations, you've made it to day two!

You have only twenty-four hours left in your fast. Your body has developed more cannabinoid receptors during this period and will continue to develop more over the next twenty-four hours.

To make the next twenty-four hours easier, remember to support your fast. Use the suggested foods, vigorous but enjoyable exercise, and the healing practices in our Wellness section (especially the Smoking Breath, Chung Breath, Shaking the Tree, and Chi Exercise) to increase natural cannabinoid levels and curb your cravings.

- Remember to drink plenty of water and stay hydrated.
- **At the 48 hour mark you will break the cannabis fast.**

DAY 2

Foods and activities to help you get through your fast.

Foods

- Hemp, flax & chia seeds
- Walnuts
- Sardines & Anchovies
- Dark chocolate
- Tea

Supplements

- Fish oil
- Probiotics
- Curcumin

Activities

- Chung Breath
- Smoking Breath
- Shaking the Tree
- Enjoyable Exercise

www.Healer.com

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.



HEALER

© Healer LLC 2021

DAY 3 - Inhalation

Breaking Your Cannabis Fast at 48 Hours From Your Start Time

- Today, your goal is to **feel the slightest or minimal effect** from cannabis.
- During the next three (3) days, your body's sensitivity to cannabis will continue to increase allowing you to experience greater therapeutic results with less cannabis.

STEP 1:

Check your "Starting Inner Inventory" before your administration of cannabis and write it down on the worksheet.

Rate each using a scale of 1-10: (1 challenging and 10 easiest)

Breath: How easy and smooth is your breath?

Body: How comfortable and calm does your body feel? How easy is it to remain still and comfortable?

Mood: How easy is it for you to feel a sense of contentment and appreciation? How easy is it for you to smile right now?

STEP 2:

- **Take 1 inhalation** (From a vaporizer or pipe).

- **Wait 5 minutes.**

- **Check your "Post Inner Inventory"** and write it down on the worksheet.

- If you can feel any minimal effect from the inhalation and there is even a slight change in your inner inventory, stop and go about your day.

- If you can feel "absolutely" no effect, and found no change in your inner inventory, then repeat the cycle.

- Take another inhalation.

- Wait 5 minutes.

- Check your inner inventory.

- Stop once you feel the slightest effect or change in your inner inventory.

***IMPORTANT NOTE: Listen to your body and don't overdo it. Less cannabis is more.**

Remember to follow the process of taking 1 inhalation, waiting 5 minutes, and checking your inner inventory to determine if there is a slight change.

Today's Focus:

- To only feel the slightest or minimal effect each time.
- Listen to your body and don't overdo it.
- You can use cannabis, following this procedure **up to 3 times per day** on days 3-5 of this protocol.
- Follow our recommended cannabinoid enhancing exercises, suggested foods, and drink plenty of water.

www.Healer.com

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.

DAY 3

Goal: To feel the slightest or minimal effect from cannabis.

Date: _____

Remember to try the cannabinoid enhancing foods, exercises, and drink plenty of water.

Session 1:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Most people find an improvement in the inner inventory score with 3 inhalations or less. Remember to wait 5 minutes and check your inner inventory in between.

Session 2: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Most people find an improvement in the inner inventory score with 3 inhalations or less. Remember to wait 5 minutes and check your inner inventory in between.

Session 3: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Most people find an improvement in the inner inventory score with 3 inhalations or less. Remember to wait 5 minutes and check your inner inventory in between.



HEALER

© Healer LLC 2021

DAY 4 - Inhalation

Increasing Your Sensitivity to Cannabis

- Today, your goal is to continue to feel the slightest or minimal effect from cannabis. You may notice that your sensitivity to cannabis has increased.
- During the next two days, your body's sensitivity to cannabis will increase allowing you to experience more therapeutic results.

STEP 1:

Check your "Starting Inner Inventory" before your administration of cannabis and write it down on the worksheet.

Rate each using a scale of 1-10: (1 challenging and 10 easiest)

Breath: How easy and smooth is your breath?

Body: How comfortable and calm does your body feel? How easy is it to remain still and comfortable?

Mood: How easy is it for you to feel a sense of contentment and appreciation? How easy is it for you to smile right now?

STEP 2:

• **Take 1 inhalation** (From a vaporizer or pipe).

• **Wait 5 minutes.**

• **Check your "Post Inner Inventory"** and write it down on the worksheet.

• If you can feel any minimal effect from the inhalation and there is even a slight change in your inner inventory, stop and go about your day.

• If you can feel "absolutely" no effect, and found no change in your inner inventory, then repeat the cycle.

• Take another inhalation.

• Wait 5 minutes.

• Check your inner inventory.

• Stop once you feel the slightest effect or change in your inner inventory.

***IMPORTANT NOTE: Listen to your body and don't overdo it. Less cannabis is more.**

Remember to follow the process of only taking 1 inhalation, waiting 5 minutes, and checking your inner inventory to determine if there is a slight change.

Today's Focus:

- To only feel the slightest or minimal effect each time.
- Listen to your body and don't overdo it.
- You can use cannabis, following this procedure **up to 3 times per day** on days 3-5 of this protocol.
- Follow our recommended cannabinoid enhancing exercises, suggested foods, and drink plenty of water.

www.Healer.com

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.

DAY 4

Goal: To continue to feel the slightest or minimal effect from cannabis.

Date: _____

Remember to try the cannabinoid enhancing foods, exercises, and drink plenty of water.

Session 1:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Wait 5 minutes and check your inner inventory.

Session 2: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Wait 5 minutes and check your inner inventory.

Session 3: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Wait 5 minutes and check your inner inventory.



HEALER

© Healer LLC 2021

DAY 5 - Sensitization

Building More Cannabinoid Receptors

- Your body is continuing to build more cannabinoid receptors and you're noticing how less cannabis can produce more results.
- Your body's sensitivity to cannabis has increased allowing for more therapeutic results.

STEP 1:

Check your "Starting Inner Inventory" before your administration of cannabis and write it down on the worksheet.

Rate each using a scale of 1-10: (1 challenging and 10 easiest)

Breath: How easy and smooth is your breath?

Body: How comfortable and calm does your body feel? How easy is it to remain still and comfortable?

Mood: How easy is it for you to feel a sense of contentment and appreciation? How easy is it for you to smile right now?

STEP 2:

• **Take 1 inhalation** (From a vaporizer or pipe).

• **Wait 5 minutes.**

• **Check your "Post Inner Inventory"** and write it down on the worksheet.

• If you can feel any minimal effect from the inhalation and there is even a slight change in your inner inventory, stop and go about your day.

• If you can feel "absolutely" no effect, and found no change in your inner inventory, then repeat the cycle.

• Take another inhalation.

• Wait 5 minutes.

• Check your inner inventory.

• Stop once you feel the slightest effect or change in your inner inventory.

***IMPORTANT NOTE: Listen to your body and don't overdo it. Less cannabis is more.**

Remember to follow the process of taking 1 inhalation, waiting 5 minutes, and checking your inner inventory to determine if there is a slight change.

Today's Focus:

- To only feel the slightest or minimal effect each time.
- Listen to your body and don't overdo it.
- You can use cannabis, following this procedure **up to 3 times per day** on days 3-5 of this protocol.
- Follow our recommended cannabinoid enhancing exercises, suggested foods, and drink plenty of water.

www.Healer.com

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.

DAY 5

Goal: To build more cannabinoid receptors.

Date: _____

Remember to try the cannabinoid enhancing foods, exercises, and drink plenty of water.

Session 1:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Try to perform up to 3 inhalations. Wait 5 minutes in between and check your inner inventory.

Session 2: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Try to perform up to 3 inhalations. Wait 5 minutes in between and check your inner inventory.

Session 3: (Optional)

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*After 5 minutes, if you feel no effect, take 1 additional inhalation.

Try to perform up to 3 inhalations. Wait 5 minutes in between and check your inner inventory.



HEALER

© Healer LLC 2021

DAY 6 - Inhalation

How to Find Your Therapeutic Dosage

Today you will discover the lowest cannabis dosage needed to achieve the optimal benefits.

On days 3-5, you've been using cannabis to find the minimum dose required to slightly improve your inner inventory. Today, you will be using the same procedure to increase the dose of cannabis, beyond the minimal effect, to the optimal effect. Think of the symptomatic relief you achieved using cannabis before starting the sensitization protocol - today you should experience that level of relief or greater, using a much lower dosage.

- Check your inner inventory and write it down on the worksheet.
- Take 1 inhalation, wait 5 minutes, check your inner inventory and record it on the worksheet.
- **If you do not feel the desired relief from your symptoms, you may increase your dosage by repeating the process**
 - Take "1 inhalation", wait 5 minutes, check your inner inventory.

Stop the process once you feel the optimal benefits (relief from your symptoms) and write the number of inhalations required on the worksheet.

- **"How do I know when I reach the optimal dose?"**
One of two things will occur:
 - You feel enough symptom relief that you are no longer limited by whatever was bothering you. Your session is over - mark down your findings and go enjoy your day!
 - You notice a decrease in your inner inventory 5 minutes after an inhalation. This actually means that you have slightly exceeded your optimal dose. Don't worry if this happens, it's an important part of the learning process!

You have found your new **maximum dose for cannabis**.

- Use the next 2-3 sessions to confirm your dosage by repeating the process and waiting 5 minutes between inhalations. Moving forward you do not have to wait the 5 minutes between each inhalation.
- I recommend you try taking one inhalation less than your maximum dosage to determine its effect. You can always take another inhalation if needed 5 minutes later.

If you're having a day with increased intensity of your symptoms, it's okay to temporarily exceed your maximum dosage and return to your optimal dose after the symptoms subside.

If at any time you notice that you are developing tolerance to cannabis, (meaning you are needing a higher dose to get the same effect), then you have likely exceeded your optimal personal therapeutic dosage. Simply repeat this 6 day protocol. Many cannabis users find that repeating this protocol every 2-3 months keeps their system highly tuned and helps them maintain a healthy and sustainable relationship with cannabis.

- Dr. Dustin Sulak

www.Healer.com

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.

DAY 6

Goal: To find your optimal therapeutic dosage.

Date: _____

Remember to try the cannabinoid enhancing foods, exercises, and drink plenty of water.

Session 1:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*Continue to take 1 inhalation, wait 5 minutes in between and check your inner inventory, until you reach the Optimal Therapeutic Effect.

Number of Inhalations:

Session 2:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*Continue to take 1 inhalation, wait 5 minutes in between and check your inner inventory, until you reach the Optimal Therapeutic Effect.

Number of Inhalations:

Session 3:

Starting Inner Inventory:

Breath Body Mood

--	--	--

Rate Each: 1-10

Start Time: _____

Take 1 inhalation
Wait 5 Minutes
Check inner inventory

Stop: Slightest Effect

Track - Post Inner Inventory:

Breath Body Mood

Rate Each: 1-10

*Continue to take 1 inhalation, wait 5 minutes in between and check your inner inventory, until you reach the Optimal Therapeutic Effect.

Number of Inhalations:



HEALER

© Healer LLC 2021

Healer Certified Training & Education Program

Be a trusted cannabis advisor and get Healer Certified with our online training program for industry professionals, health professionals, caregivers and consumers. Be empowered to help patients achieve success with reliable, accurate, practical training based on peer-reviewed science, proven protocols and Dr. Sulak's clinical experience. [Learn more](#)

Healer's Free Education

Access [Healer.com](#) for free educational articles, dosage programs with guides and videos to help you use cannabis safely and effectively to improve your health. Dr. Sulak, a leading cannabis clinician who has helped more than 18,000 patients, has created these resources for you to use and share with friends, family, and your medical providers. Visit [Healer.com](#)

[Medical Cannabis Health Provider Guide](#)

Dr. Sulak's succinct overview of the clinical information your medical providers will need to know to safely care for you and other patients who elect to use medical cannabis. [Learn more](#)

[Introduction to Cannabis Dosage Program](#)

Are you new to cannabis and not sure where to start? Using the correct dose of cannabis is the single most important factor in having a successful, therapeutic relationship with cannabis. Dr. Sulak will show you how to get the optimal benefits of cannabis at the lowest, effective dose, without any negative side effects. [Learn more](#)

[Cannabis Shopping Guide](#)

This guide will help you easily navigate your shopping trip to a cannabis supplier. You'll avoid common pitfalls, have a positive experience, save money, and purchase the right medicine for your therapeutic use. [Learn more](#)

[Medical Cannabis Opioid Guide](#)

Learn how thousands of people have used cannabis to help them reduce and replace opioid medications, as demonstrated in numerous recent scientific papers and strongly supported by animal research. [Learn more](#)

[Experienced Users - Sensitization Protocol Dosage Program](#)

Do you require more and more cannabis to get the same relief? This is a sign of cannabis tolerance. Learn how to use less, feel more, and experience superior medical benefits. [Learn more](#)

[Switching to a Cannabis Tincture Dosage Program](#)

Learn how to use a tincture to prevent your symptoms rather than chasing and treating them with inhalation after they occur. Use less medicine and experience improved results. [Learn more](#)

[Strategies for Non-Psychoactive Cannabis Use Dosage Program](#)

Dr. Sulak provides you with a number of strategies to help you get all the health benefits of cannabis without getting high or impaired. [Learn more](#)

[Endocannabinoid Diet & Activities Dosage Program](#)

Dr. Sulak outlines how specific foods and simple activities can help the endocannabinoid system function optimally, which is essential to improving your health. [Learn more](#)

To find all of these free resources and more, go to [Healer.com](#)

Healer is not recommending or endorsing the use of any specific cannabis or hemp products, brand or manufacturer. This guide is for informational and educational purposes only. This guide does not create a patient-physician relationship and should not be used as a substitute for medical advice nor take the place of medical advice or treatment from a personal physician.



© Healer LLC 2021